

Notice of Allowability

Application No.

10/726,384

Examiner

Savitri Mulpuri

Applicant(s)

OOI ET AL.

Art Unit

2812

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to pre amdt(1203-2003) and exa amdt. prepared on 1/16/05.
2. ☒ The allowed claim(s) is/are 1-3, 5-22 and 24-35.
3. ☒ The drawings filed on 07 May 2004 are accepted by the Examiner.
4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☐ All b) ☐ Some* c) ☐ None of the:
 1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☒ Notice of References Cited (PTO-892)
2. ☒ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/08), Paper No./Mail Date _____
4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☒ Interview Summary (PTO-413), Paper No./Mail Date _____
7. ☒ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other _____

Art Unit: 2812

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Mr. David Okey on 2/9/05.

The application has been amended as follows:

In claim 1 , line 9, after "quantum well structure" add ---- , wherein the introduction of the ions creates point defects in the quantum well structure, wherein the thermal annealing moves point defects closer to the quantum well layer without introducing quantum well intermixing in the quantum well layer-----

Cancel claim 4

In claim 20, line 16 after "quantum well structure" add ----, wherein the introduction of the ions creates point defects in the quantum well structure, wherein the thermal annealing moves point defects closer to the quantum well layer without introducing quantum well intermixing in the quantum well layer-----

Cancel claim 23

The following is an examiner's statement of reasons for allowance: Prior art neither teach nor suggest, after introducing ions into quantum well structure, pre-annealing at second elevated temperature wherein the introduction of the ions creates point defects in the quantum well structure, wherein the thermal annealing moves point defects closer to the quantum well layer without introducing quantum well intermixing in the quantum well layer, which is in addition to thermal annealing the quantum well structure at a third elevated temperature , and for anneal time period , sufficient to introduce quantum well intermixing in, and shift of band gap energy of, the quantum well layer-----

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Savitri Mulpuri whose telephone number is 571-272-1677. The examiner can normally be reached on Mon-Fri from 8 a.m. to 4.30 p.m..

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Michael Lebentritt, can be reached on 571-272-1783. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Art Unit: 2812

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).



Savitri Mulpuri
Primary Examiner
Art Unit 2812